


ANSULITE® 3% \times 3% AR-AFFF (A336 USCG) Proportioner Specific Design Criteria


Threaded Proportioners - Design Specifications

Proportioner Size	Orifice	3x3 AR-AFFF (A336 USCG) Flow Range (gpm)
2 in.	0.203 in.	88 - 300
2 1/2 in.	0.268 in.	124 - 339

2 in. RFC with 0.203 in. Orifice



2 1/2 in. RFC with 0.268 in. Orifice




In-Line Balanced Proportioners - Design Information


Model	Proportioner Size (in.)	3x3 AR-AFFF (A336 USCG) Flow Range (gpm)
IBP-2 IBP-2M	2 in.	69 - 208
IBP-2 1/2 IBP-2 1/2 M	2 1/2 in.	82 - 372
IBP-3 IBP-3M	3 in.	173 - 748
IBP-4 IBP-4M	4 in.	380 - 1334
IBP-6 IBP-6M	6 in.	898 - 2650
IBP-8 IBP-8M	8 in.	1345 - 3952

In-Line Balanced Proportioners


2 in. IBP with 0.203 in. Orifice




2 1/2 in. IBP with 0.242 in. Orifice




3 in. IBP with 0.347 in. Orifice




4 in. IBP with 0.480 in. Orifice



6 in. IBP with 0.648 in. Orifice




8 in. IBP with 0.914 in. Orifice




Between Flange / Flanged Proportioners

Proportioner Size	Orifice	3x3 AR-AFFF (A336 USCG) Flow Range (gpm)
3 in.	0.405 in.	165 - 782
4 in.	0.522 in.	346 - 1605
6 in.	0.809 in.	682 - 2300
8 in.	1.200 in.	1269 - 4315


3 in. RFC with 0.405 in. Orifice




4 in. RFC with 0.522 in. Orifice



6 in. RFC with 0.810 in. Orifice




8 in. RFC with 1.200 in. Orifice




Wide Range Proportioner

Prop Size	UL/USCG Approved Flow Range (GPM)
TPW 6 in.	52 - 2989
TPW 8 in.	80 - 4625
PPW 6 in.	50 - 2945
PPW 8 in.	80 - 4648


MK3 TPW 6 in. Proportioning Curve




MK3 TPW 8 in. Proportioning Curve



MK3 PPW 6 in. Proportioning Curve



MK3 PPW 8 in. Proportioning Curve



Note: The converted values in this document are provided for dimensional reference only and do not reflect an actual measurement.

ANSUL® and the product names listed in this material are marks and/or registered marks. Unauthorized use is strictly prohibited.